

Image	Profile	Profile Code	Dimensions	Length	Qty/Pack	Double Sided	LM P/M²	Boards P/M²	Residential Span	Commercial Span	Face Fix	Secret Fix	Clips P/M²			Kg's P/LM	Slip Rating	BAL29 Rated	MOQ Non Stocked Colours
													Cobra	Mini Gap	TC23				
TERRACE RANGE													Stocked Colours: Blackbutt, Walnut, Ipe, Teak, Silver Grey, Antique						
		US49	138mm x 25mm	5.4m	70	✓	7	1.3	450mm	350mm	✗	✓	17	19	N/A	3.9	P2	✓	210
		US63	138mm x 25mm	5.4m	30	✓	7	1.3	450mm	350mm	✓	✓	N/A	N/A	N/A	3.9	P2	✓	70
COASTAL RANGE													Stocked Colours: Aged Wood, Antique, Beech, Teak						
		US54	210mm x 23mm	4.88m	50	✗	4.7	0.96	400mm	300mm	✗	✓	14	15	N/A	5.7	P2	✓	250
		US33	138mm x 23mm	4.88m	30	✗	7	1.43	400mm	300mm	✓	✓	13 x MG3 Clips p/length			3.4	P2	✓	70
FASCIA													Stocked Colours: Blackbutt, Walnut, Ipe, Teak, Silver Grey, Antique						
		US06	138mm x 15mm	4.88m	30	✓	7	N/A	N/A	N/A	✓	✗	N/A			2.4	N/A	✗	280
COMMERICAL RANGE													Stocked Colours: Antique, Blackbutt, Ipe						
		US71H	210mm x 36mm	2.7m	55	✗	4.7	1.7	600mm	600mm	✗	✓	N/A	N/A	11	7.5	P5	✓	275
		US49H	138 x 25mm	5.4m	70	✗	7	1.3	450mm	350mm	✗	✓	17	19	N/A	3.9	P5	✓	210
		US63H	138 x 25mm	5.4m	70	✗	7	1.3	450mm	350mm	✓	✓	N/A	N/A	N/A	3.9	P5	✓	70

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:

* 138mm width may vary + OR - 2mm

* 210mm width may vary + OR - 3mm

Please visit www.newtechwood.com.au for more information.

Metal Fix screws are suitable for steel joists of up to 2mm in thickness. If thicker than 2mm, you must pre-drill each hole.

Image	Profile Code	Description	Gap	Timber Fix	Metal Fix	Qty/Pack	Range			Comments
							Terrace	Coastal	Marina	
DECKING FIXINGS										
	Cobra T-Clip	Cobra T-Clip	5.5mm	✓	✓	250 / 75	✓	✓	✗	1 x Clip P/Joist
	MG 1	Mini Gap Clip	1.5mm	✓	✓	75	✓	✓	✗	1 x Clip P/Joist, 1 x Screw P/Clip
	MG 2	Mini Gap Locking Clip	1.5mm	✓	✓	250 / 25	✓	✓	✗	1 x Locking Clip P/board, 1 x Screw P/Clip. Refer to install guide for correct positioning of locking clips
	MG 3	Starter Clips	N/A	✓	✓	250 / 25	✓	✓	✗	1 x Clip P/Joist on First Board
	K37	Start / End Clips	N/A	✓	✓	250 / 25	✓	✓	✗	1 x Clip P/Joist on First Board & Last Board
	CS	Fascia / Screening Screws 8G x 50mm	N/A	✓	✗	100	✗	✓	✗	Recommended for Face Fixing 15mm & 17mm Fascias & Screening
	CDS	Decking/Fascia Screw 10G x 65mm	N/A	✓	✗	400 / 100	✓	✓	✓	Recommended for Face Fixing 23mm & 25mm Picture Frame / Breaker Boards (Timber Fix)
	CSM	Coloured Head Composite Decking Screws - 12G x 45mm	N/A	✗	✓	100	✓	✓	✓	Recommended for Face Fixing 23mm & 25mm Picture Frame / Breaker Boards (Metal Fix)
	TC23	Marina Board Decking TClip Suites US71 - Box/250	9mm			250	✗	✗	✓	1 x Clip P/Joist Screw not included
	AM 6636801	4.5mm x 50mm 316 screw to suite TC23 Clip Box/1000	N/A	✓	✗	1000	✗	✗	✓	1 x Screw P/Clip
	TBC	4.5mm x 50mm screw to suite TC23 Clip Box/1000	N/A	✗	✓	1000	✗	✗	✓	1 x Screw P/Clip

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:

* 138mm width may vary + OR - 2mm

* 210mm width may vary + OR - 3mm

Please visit www.newtechwood.com.au for more information.

Metal Fix screws are suitable for steel joists of up to 2mm in thickness. If thicker than 2mm, you must pre-drill each hole.



Image	Profile	Profile Code	Description	Dimensions	Length	Qty /Pack	Coverage	LM P/M²	Boards P/M²	Max Span	Secret Fix	Clips P/M²	Kg's P/LM	Stocked	MOQ Non Stocked
SHADOWLINE															
Stocked Colours: Walnut, Teak, Maple, Silver Grey															
		US31	Shadowline Cladding Board	142mm x 13mm	4.88m	140	130mm	7.4	1.52	500mm	✓	16	1.8	✓	280
		US44	Composite Cladding End Trim	46.2mm x 45.4mm	2.8m	10	35mm	N/A	N/A	N/A	✗	N/A	N/A	✓	TBC
		US45	Composite Cladding H Trim	79mm x 23.4mm	2.8m	10	35mm	N/A	N/A	N/A	✗	N/A	N/A	✓	TBC
		US46	Composite Cladding Outer Cnr Trim	58.2mm x 58.2mm	2.8m	10	35mm	N/A	N/A	N/A	✗	N/A	N/A	✓	TBC
		US47	Composite Cladding Inner Cnr Trim	71.5mm x 71.5mm	2.8m	10	35mm	N/A	N/A	N/A	✗	N/A	N/A	✓	TBC
CASTELLATION															
Stocked Colours: Aged Wood, Ipe, Silver Ash, Ebony, Canadian Cedar															
		UH61	Castellation Cladding Board	196mmx 25mm	4.88m	100	186mm	5.4	1.1	500mm	✓	12	2.7	✓	100
		UH50	Composite End Trim	75mm x 54mm	3m	10	75mm	N/A	N/A	N/A	✓	N/A	N/A	✓	50
		UH51	Composite Corner Trim	76mm x 76mm	3m	10	76mm	N/A	N/A	N/A	✓	N/A	N/A	✓	50
Image	Profile Code	Description	Pack Qty	Clips P/M²		Comments									
				US31	UH61										
CLADDING FIXINGS															
	AW08	Aluminium Cladding Clips	50/250	16	12	1 x Clip P/Batten (Fixing screws not supplied). Dimensions 20mm x 30mm x 15mm									
	AW02	Aluminium Starter Profile - 3M	1	N/A	N/A	Starter profile may be used to align/install the first cladding board									
	WJ063	Stainless Steel Locking Screws 6G x 12mm	50/200	N/A	N/A	1 x Screw per length for locking down cladding board to control expansion & contraction. Refer to install guide for correct placement of screws									
	T7	Rubber Standoffs	50/250	N/A	N/A	Installed on each batten behind the last board as a standoff									
	G086	Self tapping 6gx3/4 timber	50/200	N/A	N/A	1x screw per AW08 clip – secures clip to batten									
	G800	50 metal screw 66x20	100	N/A	N/A	1x screw per AW08 clip – secures clip to metal frame									

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:

* 138mm width may vary + OR - 2mm

* 210mm width may vary + OR - 3mm

Please visit www.newtechwood.com.au for more information.

Image	Profile	Profile Code	Dimensions	Length	Qty/Pack	Double Sided	LM P/M²	Boards P/M²	Max Span	Fixing Method	Clips P/M²	Kg's P/LM	Slip Rating	MOQ Non Stocked	Stocked Colours
		US06	138mm x 15mm	4.88m	30	✓	7	N/A	800mm	Screw Fix	N/A	2.4	N/A	280	Blackbutt, Ipe, Teak, Antique, Silver Grey, Walnut
		US36	70mm x 17mm	5.4m	140	✓	N/A	N/A	900mm	Screw Fix	N/A	1.2	N/A	280	Blackbutt, Ipe, Teak, Antique, Silver Grey
		UH55	56mmx30mm	5.4m	170	✓	N/A	N/A	900mm	Screw Fix	N/A	1.2	N/A	170	Ipe, Ebony, Antique, Canadian Cedar

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:
 * 138mm width may vary + OR - 2mm
 * 210mm width may vary + OR - 3mm
 Please visit www.newtechwood.com.au for more information.