



Castellation Cladding Range



Castellation cladding panels, available in two options, three-rib and five-rib boards, provide a multidimensional, visually appealing addition to any building project. Thanks to the complementing end trims, Castellation boards achieve a seamless finish for any residential or commercial project.

Visit Our Website



Product code: UH61 Castellation panel (25mm rib) panel

Coverage: 186mm

Dimensions: 196mm x 25mm

Length: 5.4m **LM P/M²:** 5.4m





CANADIAN CEDAR



IPE EBONY



Product code: UH58 Castellation panel (50mm rib) panel

Coverage: 186mm

Dimensions: 196mm x 25mm

Length: 5.4m **LM P/M²:** 5.4m





BLACKBUTT

TEAK





AGED WOOD



Product code: UH58C Castellation panel (50mm rib) panel

Coverage: 186mm

Dimensions: 196mm x 25mm

Length: 5.4m **LM P/M²:** 5.4m





EBONY (CHARRED)

Castellation Cladding Trims

Product code: AA44

End Base for US31/UH61/UH58 - Mill


Finish

Dimensions: 42mm x 17.9mm

Length: 3m

Product code: CA63 End Cover for UH61/UH58 **Dimensions:** 40mm x 58mm

Length: 3m







Product code: AA62

Outside Corner Base for UH61/UH58

- Mill Finish

Dimensions: 51mm x 51mm

Length: 3m

Product code: CA51

Outside Cover Trim for UH61/UH58

- Mill Finish

Dimensions: 50mm x 50mm

Length: 3m







Product code: AA61

Inside Corner Base for UH61/UH58

- Mill Finish

Dimensions: 45mm x 45mm

Length: 3m

Product code: CA50


Inside Corner Cover Trim for US31/

UH61/UH58

Dimensions: 67.8mm x 45.3mm

Length: 3m







Product code: AA60

Butt Joist Base for UH61/UH58

- Mill Finish

Dimensions: 34mm x 33mm

Length: 3m


Product code: CA49

Butt Joist Cover Trim for US31/UH61/

JH58

Dimensions: 35mm x 16mm

Length: 3m





Product code: CA43

Perforated Flashing/Cover for UH61/

J58

Dimensions: 37.6mm x 40.3mm

Length: 3m





Product code: CA41

Flashing for US31/UH61/UH58 **Dimensions:** 71.5mm x 83mm

Length: 3m





NOTE: UH58, UH58C and UH61 boards come with the colour matching capped aluminium Cladding trims

Profile Code	Boards P/M²	Residential Span	Secret Fix	Clips P/M²	Kg's P/LM	MOQ Non-Stocked Colours
UH61	1	500mm	Υ	12	2.7	125
UH58	1	500mm	Υ	12	2.7	125
UH58C	1	500mm	Y	12	2.7	125

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE: *138mm board width may vary + OR - 2mm *210mm board width may vary + OR - 3mm. Please visit www.newtechwood.com.au for more information.

NTW Castellation Cladding Benefits



Pre-finished boards no painting or oiling



UV protection perfect for coastal locations



Concealed fixings



Eco friendly made from 95% recycled material



BAL 29 rated



Versatile application residential and commercial

Installation Guides

NewTechWood cladding is simple to install and comes with clear installation guidelines for a professional builder or DIY handyperson. Please note that failure to follow installation guide may void your Warranty.

Download Our Installation Guides

Quick Links

How to purchase NewTechWood Castellation Cladding Range?

Ready to buy? Follow these three steps to bring your dream home project to life!

Step 1



Get inspired: Visit our **Projects** and **Gallery** page Step 2



Find your nearest reseller store on Where to Buy page Step 3



Go to the store to pick up free samples and get a free quote

GALLERY

DECKING CALCULATOR | INSTALLATION GUIDES

WHERE TO BUY



