





Image	Profile	Profile Code	Dimensions	Length	Qty/Pack	Double Sided	LM P/M ²	Boards P/M ²	Residential Span	Commercial Span	Face Fix	Secret Fix	Clips P/M ²			Kg's P/LM	Slip Rating	BAL29 Rated	MOQ Non Stocked Colours		
													Cobra	Mini Gap	TC30						
AVENUE DECKING RANGE																			Stocked Colours: Antique, Teak, Walnut		
		US92	138mm x 29mm	4.88m	40	✗	7	1.43	450mm	N/A	✗	✓	17	19	N/A	2.7	P2	✓	280		
		US93	138mm x 29mm	4.88m	40	✗	7	1.43	450mm	N/A	✓	✓	N/A	N/A	N/A	2.9	P2	✓	160		
TERRACE DECKING RANGE																			Stocked Colours: Antique, Blackbutt, Ipe, Teak, Silver Grey		
		US49	138mm x 25mm	5.4m	50	✓	7	1.3	450mm	350mm	✗	✓	17	19	N/A	3.9	P2	✓	250		
		US63	138mm x 25mm	5.4m	30	✓	7	1.3	450mm	350mm	✓	✓	N/A	N/A	N/A	3.9	P2	✓	100		
COASTAL DECKING RANGE																			Stocked Colours: Aged Wood, Antique, Beech, Teak		
		US54	210mm x 23mm	4.88m	50	✗	4.7	0.96	400mm	300mm	✗	✓	14	15	N/A	5.7	P2	✓	250		
		US33	138mm x 23mm	4.88m	30	✗	7	1.43	400mm	300mm	✓	✓	13 x MG3 Clips p/length		N/A	3.4	P2	✓	70		
FASCIA BOARD																			Stocked Colours: Antique, Blackbutt, Ipe, Teak, Silver Grey		
		US06	138mm x 15mm	5.4	30	✓	7	N/A	N/A	N/A	✓	✗	N/A			2.4	N/A	✗	270		
COMMERICAL DECKING RANGE																			Stocked Colours: Antique, Blackbutt, Ipe		
		US71H	210mm x 36mm	2.7m	55	✗	4.7	1.7	600mm	600mm	✗	✓	N/A	N/A	11	7.5	P5	✓	275		
		US49H	138mm x 25mm	5.4m	50	✗	7	1.3	450mm	350mm	✗	✓	17	19	N/A	3.9	P5	✓	250		
		US63H	138mm x 25mm	5.4m	30	✗	7	1.3	450mm	350mm	✓	✓	N/A	N/A	N/A	3.9	P5	✓	100		

Image	Profile	Profile Code	Dimensions	Length	Qty/Pack	Double Sided	LM P/M ²	Boards P/M ²	Max Span	Fixing Method	Clips P/M ²	Kg's P/LM	Slip Rating	MOQ Non Stocked	Stocked Colours
		US06	138mm x 15mm	4.88m	30	✓	7	N/A	800mm	Screw Fix	N/A	2.4	N/A	280	Blackbutt, Antique, Ipe, Teak, Silver Grey
		UH55	56mmx30mm	5.4m	170	✓	N/A	N/A	1200mm	Screw Fix	N/A	1.2	N/A	170	Canadian Cedar, Ipe, Ebony

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:

* 138mm width may vary + OR - 2mm

* 210mm width may vary + OR - 3mm

Please visit www.newtechwood.com.au for more information.

Metal Fix screws are suitable for steel joists of up to 2mm in thickness. If thicker than 2mm, you must pre-drill each hole.

Image	Profile Code	Description	Gap	Timber Fix	Metal Fix	Qty/Pack	Range				Comments
							Avenue	Terrace	Coastal	Marina	
DECKING FIXINGS											
	Cobra T-Clip	Cobra T-Clip	5.5mm	✓	✓	75 / 250	✓	✓	✓	✗	1 x Clip P/Joist
	MG1	Mini Gap Clip	1.5mm	✓	✓	75	✓	✓	✓	✗	1 x Clip P/Joist, 1 x Screw P/Clip
	MG2	Mini Gap Locking Clip	1.5mm	✓	✓	25 / 250	✓	✓	✓	✗	1 x Locking Clip P/board, 1 x Screw P/Clip. Refer to install guide for correct positioning of locking clips
	MG3	Starter Clips	N/A	✓	✓	25 / 250	✓	✓	✓	✗	1 x Clip P/Joist on First Board
	K37	Start / End Clips	N/A	✓	✓	25 / 250	✓	✓	✓	✗	1 x Clip P/Joist on First Board & Last Board
	CS	Fascia / Screening Screws 8G x 50mm	N/A	✓	✗	100	✗	✗	✗	✗	Recommended for Face Fixing 15mm & 17mm Fascias & Screening
	CDS	Decking/Fascia Screw 10G x 65mm	N/A	✓	✗	100 / 400	✓	✓	✓	✓	Recommended for Face Fixing 23mm, 25mm and 29mm Picture Frame / Breaker Boards
	CSM	Decking/Fascia Screw 12G x 45mm	N/A	✗	✓	100	✓	✓	✓	✓	Recommended for Face Fixing 23mm, 25mm and 29mm Picture Frame / Breaker Boards
	TC30 250	Marina Board Decking T-Clips / Screws - 8.5mm Metal Fix	8.5mm	✓	✓	250	✗	✗	✗	✓	1 x Clip P/Joist

CLADDING FIXING TABLE

Image	Profile Code	Description	Pack Qty	Clips P/M²		Comments
				US31	UH61/UH58	
CLADDING FIXINGS						
	AW08	Wall Cladding Clip	50 / 250	16	12	1 x Clip P/Batten (Fixing screws not supplied)
	AW02	Aluminium Starter Profile - 3M	1	N/A	N/A	Starter profile may be used to align/install the first cladding board
	WJ63	Stainless Steel Locking Screws 4G x 12mm	100	N/A	N/A	1 x Screw per length for locking down cladding board to control expansion & contraction. Refer to install guide for correct placement of screws
	T7	Rubber Standoffs Spacers	50/250	N/A	N/A	Installed on each batten behind the last board as a standoff























NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:

* 138mm width may vary + OR - 2mm

* 210mm width may vary + OR - 3mm

Please visit www.newtechwood.com.au for more information.

Metal Fix screws are suitable for steel joists of up to 2mm in thickness. If thicker than 2mm, you must pre-drill each hole.
























Image	Profile	Profile Code	Description	Dimensions	Length	Qty /Pack	Coverage	LM P/M ²	Boards P/M ²	Max Span	Secret Fix	Clips P/M ²	Kg's P/LM	Stocked	MOQ Non Stocked	
SHADOWLINE CLADDING															Stocked Colours: Blackbutt, Ipe, Teak, Sea Salt	
		US31	Shadowline Wall Cladding Board	142mm x 13mm	4.88m	126	130mm	7.4	1.58	500mm	✓	16	1.8	✓	252	
		US31SS	Shou Sugi Ban Wall Cladding Board	142mm x 13mm	4.88m	126	130mm	7.4	1.58	500mm	✓	16	1.8	✓	252	
SHADOWLINE CLADDING TRIMS																
		CA48	End cover for US31	40mm x 46mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50	
		AA44	End base for US31/UH61/UH58 - Mill Finish	42mm x 17.9mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50	
		CA51	Outside Corner Cover Trim for US31/UH61/UH58	50mm x 50mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50	
		AA47	Outside Corner Base for US31 - Mill Finish	39mm x 39mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50	
		CA50	Butt Joist Cover Trim for US31/UH61/UH58	67.8mm x 45.3mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50	
		AA46	Inside Corner Base for US31 - Mill Finish	45mm x 45mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50	
		CA49	Butt Joist Cover Trim for US31/UH61/UH58	35mm x 16mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50	
		AA45	Butt Joist Base for US31 - Mill Finish	34mm x 21mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50	
		CA42	J Trim Flashing – Perforated for US31	25.6mm x 40.3mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50	
		CA42B	J Trim Flashing – Non-Perforated for US31	25.6mm x 40.3mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50	
		CA41	Flashing for US31/UH61/UH58	71.5mm x 83mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50	

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:

* 138mm width may vary + OR - 2mm

* 210mm width may vary + OR - 3mm

Please visit www.newtechwood.com.au for more information.

Image	Profile	Profile Code	Description	Dimensions	Length	Qty /Pack	Coverage	LM P/M ²	Boards P/M ²	Max Span	Secret Fix	Clips P/M ²	Kg's P/LM	Stocked	MOQ Non Stocked
CASTELLATION CLADDING 5 RIB (25MM)											Stocked Colours: Canadian Cedar, Ipe, Ebony				
		UH61	Castellation Cladding Panels (25mm rib)	196mm x 25mm	5.4m	125	186mm	5.4	1.1	500mm	✓	12	2.7	✓	125
CASTELLATION CLADDING 3 RIB (50MM)											Stocked Colours: Blackbutt, Teak, Aged Wood				
		UH58	Castellation Cladding Panels (50mm rib)	196mm x 25mm	5.4m	125	186mm	5.4	1.1	500mm	✓	12	2.7	✓	125
CASTELLATION CLADDING (50MM) CHARRED											Stocked Colours: Ebony (Charred)				
		UH58C	Castellation Cladding Panels (50mm rib)	196mm x 25mm	5.4m	125	186mm	5.4	1.1	500mm	✓	12	2.7	✓	125
CASTELLATION CLADDING TRIMS											Stocked Colours: Same as Boards				
		CA63	End Cover for UH61/UH58	40mm x 58mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50
		AA44	End Base for US31/UH61/UH58 - Mill Finish	42mm x 17.9mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50
		CA51	Outside Corner Cover Trim for US31/UH61/UH58	50mm x 50mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50
		AA62	Outside Corner Base for UH61/UH58 - Mill Finish	51mm x 51mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50
		CA50	Inside Corner Cover Trim for US31/UH61/UH58	67.8mm x 45.3mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50
		AA61	Inside Corner Base for UH61/UH58 - Mill Finish	45mm x 45mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50
		CA49	Butt Joist Cover Trim for US31/UH61/UH58	35mm x 16mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50
		AA60	Butt Joist Base for UH61/UH58 - Mill Finish	34mm x 33mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50
		CA43	J Trim Flashing - Perforated for UH61/UH58	37.6mm x 40.3mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50
		CA43B	J Trim Flashing - Non-Perforated for UH61/UH58	37.6mm x 40.3mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50
		CA41	Flashing for US31/UH61/UH58	71.5mm x 83mm	3m	10	N/A	N/A	N/A	N/A	✓	N/A	N/A	✓	50

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:

* 138mm width may vary + OR - 2mm

* 210mm width may vary + OR - 3mm

Please visit www.newtechwood.com.au for more information.