







Image	Profile	Profile Code	Dimensions	Length	Qty/Pack	Double Sided	LM P/M²	Boards P/M²	Residential Span	Commercial Span	Face Fix	Secret Fix	Clips P/M²			Kg's P/LM	Slip Rating	BAL29 Rated	MOQ Non Stocked Colours	
													TC28	MG10	TC30					
AVENUE DECKING RANGE																Stocked Colours: Antique, Teak, Walnut				
		US92	138mm x 29mm	4.88m	40	✗	7	1.43	450mm	N/A	✗	✓	17	19	N/A	2.7	P2	✓	N/A	
		US93	138mm x 29mm	4.88m	40	✗	7	1.43	450mm	N/A	✓	✓	N/A	N/A	N/A	2.9	P2	✓	N/A	
SOHO DECKING RANGE																Stocked Colours: Antique, Teak, Walnut				
		US166R	138mm x 25mm	5.4m	50	✗	7	1.29	450mm	N/A	✗	✓	17	20	N/A	4.0	P3	✓	N/A	
		US163R	138mm x 25mm	5.4m	50	✗	7	1.29	450mm	N/A	✓	✓	N/A	N/A	N/A	4.1	P3	✓	N/A	
TERRACE DECKING RANGE																Stocked Colours: Blackbutt, Antique, Teak, Ipe, Silver Grey				
		US49C	138mm x 25mm	5.4m	50	✓	7	1.3	450mm	350mm	✗	✓	17	19	N/A	3.9	P2/P5	✓	250	
		US63C	138mm x 25mm	5.4m	30	✓	7	1.3	450mm	350mm	✓	✓	N/A	N/A	N/A	3.9	P2/P5	✓	100	
COASTAL DECKING RANGE																Stocked Colours: Beech, Antique, Teak, Aged Wood				
		US54C	210mm x 23mm	4.88m	50	✓	4.7	0.96	400mm	300mm	✗	✓	14	15	N/A	5.7	P2/P5	✓	250	
		US142C	138mm x 23mm	4.88m	30	✓	7	1.43	400mm	300mm	✓	✓	13 x MG3 Clips P/Length		N/A	3.4	P2/P5	✓	70	
FASCIA BOARD																Stocked Colours: Blackbutt, Antique, Teak, Ipe, Silver Grey				
		US06C	138mm x 15mm	5.4	30	✓	7	N/A	N/A	N/A	✓	✗	N/A			2.4	N/A	✗	270	
COMMERICAL DECKING RANGE																Stocked Colours: Blackbutt, Antique, Ipe				
		US71	210mm x 36mm	2.7m	55	✗	4.7	1.7	600mm	600mm	✗	✓	N/A	N/A	11	7.5	P5	✓	275	

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:

* 138mm width may vary + OR - 2mm

* 210mm width may vary + OR - 3mm

Please visit www.newtechwood.com.au for more information.

Metal Fix screws are suitable for steel joists of up to 2mm in thickness. If thicker than 2mm, you must pre-drill each hole.

Image	Profile Code	Description	Gap	Timber Fix	Metal Fix	Qty/Pack	Range				Comments
							Avenue	Terrace	Coastal	Marina	
DECKING FIXINGS											
	Cobra M-Clip	Cobra M-Clip	5.5mm	✗	✓	75 / 250	✓	✓	✓	✗	1 x Clip P/Joist
	TC28T	TC28 Timber Fix	5.5mm	✓	✗	75 / 225 / 1000	✓	✓	✓	✗	1 x Clip P/Joist, 1 x Screw P/Clip
	MG10	NTW 3mm Clip & Screw	3mm	✓	✓	75	✓	✓	✓	✗	1 x Clip P/Joist, 1 x Screw P/Clip
	MG10	NTW 3mm Locking & Clip Screw	3mm	✓	✓	75	✓	✓	✓	✗	1 x Locking Clip P/Board, 1 x Screw P/Clip. Refer to install guide for correct positioning of locking clips
	MG3	Starter Clip	N/A	✓	✓	25 / 250	✓	✓	✓	✗	1 x Clip P/Joist on First Board
	K37	Start / End Clip	N/A	✓	✓	25 / 250	✓	✓	✓	✗	1 x Clip P/Joist on First Board & Last Board
	CS	Fascia / Screening Screw 8G x 50mm	N/A	✓	✗	100	✗	✗	✗	✗	Recommended for Face Fixing 15mm & 17mm Fascias & Screening
	CDS	Decking/Fascia Screw 10G x 65mm	N/A	✓	✗	100 / 400	✓	✓	✓	✓	Recommended for Face Fixing 23mm, 25mm and 29mm Picture Frame / Breaker Boards
	CSM	Decking/Fascia Screw 12G x 45mm	N/A	✗	✓	100 / 250	✓	✓	✓	✓	Recommended for Face Fixing 23mm, 25mm and 29mm Picture Frame / Breaker Boards
	TC30 250	Marina Board Decking T-Clip / Screw - 8.5mm	8.5mm	✓	✓	250	✗	✗	✗	✓	1 x Clip P/Joist

CLADDING FIXING TABLE

Image	Profile Code	Description	Pack Qty	Clips P/M ²		Comments
				US31	UH61/UH58/UH93	
CLADDING FIXINGS						
	AW08	Wall Cladding Clip	50 / 250	16	12	1 x Clip P/Batten (Fixing screws not supplied)
	AW02	Aluminium Starter Profile - 3M	1	N/A	N/A	Starter profile may be used to align/install the first cladding board
	WJ63	Stainless Steel Locking Screw 4G x 12mm	100	N/A	N/A	1 x Screw per length for locking down cladding board to control expansion & contraction. Refer to install guide for correct placement of screws
	T7	Rubber StandOff Spacer	50 / 250	N/A	N/A	Installed on each batten behind the last board as a standoff
	CS	Fascia / Screening Screw 8G x 50mm	100	N/A	N/A	Recommended for Face Fixing 15mm & 17mm Fascias & Screening

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:

*138mm width may vary + OR - 2mm * 210mm width may vary + OR - 3mm

Metal Fix screws are suitable for steel joists of up to 2mm in thickness. If thicker than 2mm, you must pre-drill each hole.

Please visit www.newtechwood.com.au for more information.

Distributed By
Urban Direct Wholesale
info@urbandirectwholesale.com.au
1300 019 078 | urbandirectwholesale.com.au

CLADDING SPECIFICATION TABLE

Image	Profile	Profile Code	Description	Dimensions	Length	Qty /Pack	Coverage	LM P/M²	Boards P/M²	Max Span	Secret Fix	Clips P/M²	Kg's P/LM	Stocked	MOQ Non Stocked
(UH61) CASTELLATION CLADDING 5 RIB (25MM)											Stocked Colours: Canadian Cedar, Ipe, Ebony				
		UH61	Castellation Cladding Panel (25mm rib)	196mm w x 25mm h	5.4m	125	186mm	5.4	1.1	500mm	✓	12	2.7	✓	250
(UH58/UH58C) CASTELLATION CLADDING 3 RIB (50MM)											Stocked Colours: Blackbutt, Teak, Aged Wood, Ebony (Charred)				
		UH58	Castellation Cladding Panel (50mm rib)	196mm w x 25mm h	5.4m	125	186mm	5.4	1.1	500mm	✓	12	2.7	✓	250
(UH93) CASTELLATION CLADDING 4 RIB (25MM-43MM)											Stocked Colours: Sea Salt, Blackbutt, Teak				
		UH93	Castellation Cladding Panels (25mm-43mm)	196mm w x 25mm h	5.4m	125	186mm	5.4	1.1	500mm	✓	12	2.7	✓	250
CASTELLATION CLADDING TRIM KITS											Stocked Colours: Same as Boards				
		CA63AA44ZX	End Trim Mill Finish Base & Cover Kit for UH61 / UH58 / UH93	AA44: 47.5mm w x 21mm h CA63: 51mm w x 58mm h	3m	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA51AA62ZX	Outside Corner Trim Mill Finish Base & Cover Kit for UH61 / UH58 / UH93	AA62: 51mm w x 55mm h CA51: 65mm w x 65mm h	3m	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA50AA61ZX	Inside Corner Trim Mill Finish B Base & Cover for UH61 / UH58 / UH93	AA61: 57.5mm w x 57.5mm h CA50: 68mm w x 45mm h	3m	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA49AA60ZX	Butt Joint Trim Mill Finish Base & Cover Kit for UH61 / UH58 / UH93	AA60: 34mm w x 33mm h CA49: 56mm w x 16mm h	3m	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA43	J Trim Perforated for UH61 / UH58 / UH93	37.5mm w x 40.5mm h	3m	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA43B	J Trim Non - Perforated for UH61 / UH58 / UH93	37.5mm w x 40.5mm h	3m	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA41	Window Flashing US31 / UH61 / UH58 / UH93	81.5mm w x 81.5mm h	3m	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50

NOTE: MAX SPAN FOR CASTELLATION AND SHADOWLINE CLADDING IN CEILING IS 300MM - 25 CLIPS PER M²

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:

* 138mm width may vary + OR - 2mm

* 210mm width may vary + OR - 3mm

Please visit www.newtechwood.com.au for more information.

SCREENING AND FENCING SPECIFICATION TABLE

Image	Profile	Profile Code	Dimensions	Length	Qty/Pack	Double Sided	LM P/M²	Boards P/M²	Max Span	Fixing Method	Coverage	Kg's P/LM	MOQ Non Stocked	Stocked Colours
		US06C	138mm x 15mm	5.4m	30	✓	7	N/A	N/A	Screw Fix	N/A	2.4	270	Blackbutt, Antique, Teak, Ipe, Silver Grey
		UH55	56mm x 30mm	5.4m	170	✓	N/A	N/A	1200mm	Screw Fix	N/A	1.2	340	Canadian Cedar, Ipe, Ebony
		UH122R	175mm x 22mm	2.7m	150	N/A	7	N/A	500mm	Screw Fix	150	2.43	N/A	Sea Salt, Blackbutt, Ipe, Silver Grey
		US154R	55mm x 55mm	2.7m	10	N/A	N/A	N/A	N/A	Screw Fix	N/A	0.66	N/A	Sea Salt, Blackbutt, Ipe, Silver Grey

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:


* 138mm width may vary + OR - 2mm

* 210mm width may vary + OR - 3mm

Please visit www.newtechwood.com.au for more information.

Metal Fix screws are suitable for steel joists of up to 2mm in thickness. If thicker than 2mm, you must pre-drill each hole.

Distributed By
Urban Direct Wholesale
info@urbandirectwholesale.com.au
1300 019 078 | urbandirectwholesale.com.au

Image	Profile	Profile Code	Description	Dimensions	Length	Qty /Pack	Coverage	LM P/M²	Boards P/M²	Max Span	Secret Fix	Clips P/M²	Kg's P/LM	Stocked	MOQ Non Stocked
SHADOWLINE CLADDING											Stocked Colours: Blackbutt, Ipe, Teak, Sea Salt				
		US31	Shadowline Wall Cladding Board	142mm w x 13mm h	4.88m	126	130mm	7.4	1.58	500	✓	16	1.8	✓	252
		US31 EB	Shou Sugi Ban Wall Cladding Board	142mm w x 13mm h	4.88m	126	130mm	7.4	1.58	500	✓	16	1.8	✓	252
SHADOWLINE CLADDING TRIMS															
		CA48AA44ZX	End Trim Mill Finish Base & Cover Kit for US31	CA48: 51mm w x 46mm h AA44: 47.5mm w x 21mm h	3m	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA51AA47ZX	Outside Corner Trim Mill Finish Base & Cover for US31	CA51: 65mm x 65mm AA47: 52.5mm w x 31m h	3m	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA50AA46ZX	Inside Corner Trim Mill Finish Base & Cover Kit for US31	CA50: 68mm w x 45mm h AA46: 48mm x 48mm	3m	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA49AA45ZX	Butt Joint Trim Mill Finish Base & Cover Kit for US31	CA49: 56mm w x 16mm h AA45: 34mm w x 21mm h	3m	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA42	J Trim Perforated for US31	25.5mm w x 40.5mm h	3m	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA42B	J Trim Non-Perforated for US31	25.5mm w x 40.5mm h	3m	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50
		CA41	Window Flashing for US31 / UH61 / UH58	81.5mm w x 81.5mm	3m	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	✓	50

NOTE: MAX SPAN FOR CASTELLATION AND SHADOWLINE CLADDING IN CEILING IS 300MM - 25 CLIPS PER M²

NOTE: PLEASE BE AWARE THAT BOARD WIDTHS MAY VARY FROM THE NOMINATED SIZE:

* 138mm width may vary + OR - 2mm

* 210mm width may vary + OR - 3mm

Please visit www.newtechwood.com.au for more information.